Carbohydrate Research, 254 (1994) C1–C2
Elsevier Science B.V., Amsterdam

AUTHOR INDEX

Adachi, Y. 213
Allmaier, G. 105
Andersson, M. 35
Angelino, S.A.G.F. 245

Backinowsky, L.V. 43
Balatoni, L. 301
Bartelt, M. 203
Basu, S. 221
Bhattacharyya, T. 221
Brade, H. 105, 141
Brewer, C.F. 157
Buchholz, K. 183

Constantinou-Kokotou, V. 317
Couladouros, E.A. 317

Depew, W.T. 257

Egge, H. 289
El Ashry, E.S.H. 295

Farkas, I. 91
Fernández, P. 61
Fischer-Beller, A. 169

Gabius, H.-J. 269
Georgiadis, M.P. 317
Goodman, L. 133
Grzeszczyk, B. 43

Harmouch, B. 325
Hay, G.W. 257
Hoffmann, R.A. 245
Holst, O. 141
Hronowski, L.J.J. 257
Huang, J.T. 133

Ibrahim, E.-S.I. 295

Jann, B. 203
Jann, K. 203
Jiménez-Barbero, J. 61

Kamerling, J.P. 245
Kenne, L. 35
Kitahata, S. 1
Klein, R.A. 289
Kochanowski, H. 203
Koh, L.L.I. 281
Koizumi, K. 1
Kokotos, G. 317
Kosma, P. 105
Krebs, A. 257
Krülle, T. 141

Lee, C.-K. 281
Lee, R.T. 269
Lee, Y.C. 269
Lindberg, B. 15
Lindh, F. 15
Lindsell, W.E. 311
Lipták, A. 301
Lundsten, J. 15

Machytka, D. 289
Mahmoud, S.H. 91
Manley-Harris, M. 195
Martín-Lomas, M. 61
Martin, P. 325
McGregor, M. 133

Needs, P.W. 229
Nepogod'ev, S.A. 43

Ohno, N. 213
Okada, Y. 1
Oscarson, S. 81

Parolis, H. 333
Parolis, L.A.S. 333
Pietsch, M. 183
Postel, D. 325
Preston, P.N. 311

Rashed, N. 295
Ravenscroft, N. 333

Reed III, L.A. 133
Rettie, A.B. 311
Richards, G.N. 195
Ritzén, H. 81
Ronco, G. 325

Saha, S.K. 157
Schmid, E. 105
Schmidt, R.R. 141
Selvendran, R.R. 229
Shashkov, A.S. 203
Somsák, L. 91
Spychala, L. 325
Stenutz, R. 35
Strobl, M. 105
Suda, M. 213
Svensson, S. 15
Szarek, W.A. 25, 257
Szurmai, Z. 301

Tietze, L.F. 169
Tonković, M. 277

Vičtor, R.J. 245
Villa, P. 325
Vliegenthart, J.F.G. 245
Voragen, A.G.J. 245

Walter, M. 183
Widmalm, G. 35

Yadomae, T. 213

Zamojski, A. 43
Zou, W. 25

Carbohydrate Research, 254 (1994) C3–C5
Elsevier Science B.V., Amsterdam

SUBJECT INDEX

2-Alkynyl-1-ethoxy glucosides, stereoselective synthesis of, 169
Anhydro sugars and oligosaccharides from the thermolysis of sucrose, 195
Antigen (LPS) from *Escherichia coli* O22:K13, structure of the O-specific polysaccharide of the O22-, 203
Arabinoxylans from barley, structures of small oligomers liberated by endoxylanase from *Aspergillus awamori*, 245
Asialoglycoprotein receptor, rabbit, binding of D-galactose-terminated ligands to, 257
Bacteriophage degradation of *Klebsiella* K30 capsular polysaccharide and an NMR investigation of the 3,4-pyruvated galactose-containing repeating oligosaccharide, 333
Barley arabinoxylans, structures of small oligomers liberated by endoxylanase from *Aspergillus awamori*, 245
Binding of D-galactose-terminated ligands to rabbit asialoglycoprotein receptor, 257
Carbon–carbon bond formation at secondary carbon in cyclic sugars, stereospecific, 133
1-Carboxyethyl ethers of methyl α-L-rhamnopyranoside and methyl α-D-galactopyranoside, synthesis and NMR and CD studies of, 35
CD and NMR studies of 1-carboxyethyl ethers of methyl α-L-rhamnopyranoside and methyl α-D-galactopyranoside, synthesis and, 35
Characterization and separation of five positional isomers of trimaltosyl-cyclomaltoheptaose (trimaltosyl-β-cyclodextrin, 1
Chlamidia, synthesis of pentasaccharide core structures corresponding to the genus-specific lipopolysaccharide epitope of, 105
Complexation of iron(III) with D-fructose, a new approach, 277
Crystal structure and taste of 3,3′-dideoxy-α,α-*arabino*-trehalose monohydrate, 281
β-Cyclodextrin, trimaltosyl-, (trimaltosyl-cyclomaltoheptaose), separation and characterization of five positional isomers of, 1
Cyclomaltoheptaose, trimaltosyl-, (trimaltosyl-β-cyclodextrin), separation and characterization of five positional isomers of, 1
C-(2-Deoxyhex/pent-1-enopyranosyl)heterocycles, preparation, 91
1-Deoxymannonojirimycin (1,5-dideoxy-1,5-imino-D-mannitol) and D-fructose, an efficient conversion of D-mannitol into, 25
3-Deoxy-2-octulosonic acid derivatives and characterisation of their 3-deoxyoctitols, synthesis of, 141
Determination of the concentrations of oligosaccharides, complex-type carbohydrates, and glycoproteins by the phenol–sulfuric acid method, 157
2,4-Diamino sugar precursors from 2,3-dideoxy-2-enopyranos-4-uloses, a synthesis of in one reaction vessel, 317
Disaccharide alditols, electron impact mass spectra of permethylated, 15
Disaccharides having D-xylose coupled to other monosaccharides, preparation of ether-linked, 325
Electron impact mass spectra of permethylated disaccharide alditols, 15
Escherichia coli O22:K13, structure of the O-specific polysaccharide of the O22-antigen (LPS) from, 203
Escherichia coli O126, structure of the O-specific side chain of the lipopolysaccharide from, 221
D-Fructose and 1,5-dideoxy-1,5-imino-D-mannitol (1-deoxymannonojirimycin), an efficient conversion of D-mannitol into, 25
Fructose, a new approach to the complexation of iron(III) with, 277
Galactopyranose rings, reporter resonances in the NMR spectra of oligosaccharides containing sialic acid linked to, 289

Galactose-specific toxic lectin of mistletoe, the sugar-combining area of the, extends beyond the terminal sugar residue: comparison with a homologous toxic lectin, ricin, 269
(1 → 3)-β-D-Glucan from *Sclerotinia sclerotiorum* IFO 9395, preparation and properties of metabolically ^{3}H- or ^{13}C-labeled, 213
Glycoproteins by the phenol–sulfuric acid method, determination of the concentrations of oligosaccharides, complex-type carbohydrates, and, 157

L-*glycero*-α-D-*manno*-Heptopyranosyl derivatives of allyl α-glycosides of D-glucose, kojibiose, and 3-*O*-α-kojibiosyl-D-glucose, 43
Heptose-hexose region of the *Salmonella* Ra core, synthesis of hexa-, penta-, and tetrasaccharides related to the, 81
Heterocycles, preparation of *C*-(2-deoxyhex/pent-1-enopyranosyl)-, 91
Hexacarbonyldicobalt complexes derived from 2-propynyl and 3-butynyl 4,6-di-*O*-acetyl-2,3-dideoxy-α-D-*erythro*-hex-2-enopyranosides, synthesis and characterisation, 311
Hexasaccharide corresponding to part of the heptose-hexose region of the *Salmonella* Ra core and a penta- and tetra-saccharide that compose parts of this structure, synthesis, 81
Hex-2-enopyranosides, synthesis and characterisation of hexacarbonyldicobalt complexes derived from 2-propynyl and 3-butynyl 4,6-di-*O*-acetyl-2,3-dideoxy-α-D-*erythro*-, 311
^{3}H- or ^{13}C-labeled (1 → 3)-β-D-glucan from *Sclerotinia sclerotiorum* IFO 9395, preparation and properties of metabolically, 213

Iron(III), a new approach to the complexation of D-fructose with, 277

3-Keto-sucrose, regioselective synthesis of new sucrose derivatives via, 183
Klebsiella K30 capsular polysaccharide, bacteriophage degradation and an NMR investigation of the 3,4-pyruvated galactose-containing repeating oligosaccharide, 333
Kojibiose, 3-*O*-α-kojibiosyl-D-glucose, and D-glucose, synthesis of L-*glycero*-α-D-*manno*-heptopyranosyl derivatives of allyl α-glycosides of, 43

Lactoside, syntheses of all the possible monomethyl ethers and several deoxyhalo analogues of methyl β-, as ligands for the *Ricinus communis* lectins, 61
Lectin of mistletoe, the sugar-combining area of the galactose-specific toxic, extends beyond the terminal sugar residue: comparison with a homologous toxic lectin, ricin, 269
(Lepidin-2-yl)hydrazones, sugar, and synthesis of 1-(alditol-1-yl)-5-methyl[1,2,4]triazolo[4,3-*a*]-quinoline, 295
Ligands, binding of D-galactose terminated to rabbit asialoglycoprotein receptor, 257
Linkage analysis of polysaccharides as partially methylated alditol acetates, a critical assessment of a one-tube procedure for the, 229
Lipopolysaccharide epitope of *Chlamidia*, synthesis of pentasaccharide core structures corresponding to the genus-specific, 105
Lipopolysaccharide from *Escherichia coli* O126, structure of the O-specific side chain of the, 221

D-Mannitol, an efficient conversion of, into D-fructose and 1,5-dideoxy-1,5-imino-D-mannitol (1-deoxymannonojirimycin), 25
Manno-oligosaccharides, synthesis of some partially substituted methyl α-D- and 1-thio-α-D-mannopyranosides for the preparation of, 301
α-D-Mannopyranosides, synthesis of some partially substituted phenyl 1-thio- and methyl, for the preparation of manno-oligosaccharides, 301
Mass spectra of permethylated disaccharide alditols, electron impact, 15
Metabolically ^{3}H- or ^{13}C-labeled (1 → 3)-β-D-glucan from *Sclerotinia sclerotiorum* IFO 9395, preparation and properties, 213
Methyl α-D- and phenyl 1-thio-α-D-mannopyranosides, synthesis for the preparation of manno-oligosaccharides, 301
Methyl β-lactoside, syntheses of all the monomethyl ethers and several deoxyhalo analogues, as ligands for the *Ricinus communis* lectins, 61
Monomethyl ethers and several deoxyhalo analogues of methyl β-lactoside, syntheses of all the, as ligands for the *Ricinus communis* lectins, 61

NMR and CD studies of methyl 4-*O*-[(*R*)- and (*S*)-1-carboxyethyl]-α-L-rhamnopyranoside and methyl 6-*O*-[(*R*)- and (*S*)-1-carboxyethyl]-α-D-galactopyranoside, synthesis and, 35
NMR investigation of the 3,4-pyruvated galactose-containing pentasaccharide produced by bacteriophage degradation of the *Klebsiella* K30 capsular polysaccharide, 333

Octitols, synthesis of 3-deoxy-2-octulosonic acid derivatives and characterisation of their 3-deoxy-, 141
2-Octulosonic acid derivatives, synthesis of 3-deoxy-, and characterisation of their 3-deoxyoctitols, 141
Oligomers liberated from barley arabinoxylans by endoxylanase from *Aspergillus awamori*, structures of small, 245
Oligosaccharides containing sialic acid linked to galactopyranose rings, reporter resonances in the NMR spectra of, 289
Oligosaccharides for use as substrates for synthetic antigens, synthesis of linear, 43
Oligosaccharides from the thermolysis of sucrose, anhydro sugars and, 195
One-tube procedure for the linkage analysis of polysaccharides as partially methylated alditol acetates, a critical assessment, 229

Pentasaccharide core structures corresponding to the genus-specific lipopolysaccharide epitope of *Chlamidia*, synthesis, 105
Phenol–sulfuric acid method, determination of the concentrations of oligosaccharides, complex-type carbohydrates, and glycoproteins by the, 157
Polysaccharide of the O22-antigen (LPS) from *Escherichia coli* O22:K13, structure of the O-specific, 203
Polysaccharides, a critical assessment of a one-tube procedure for linkage analysis as partially methylated alditol acetates, 229
Preparation of ether-linked disaccharides having D-xylose coupled to other monosaccharides, 325
2-Propynyl and 3-butynyl 4,6-di-*O*-acetyl-2,3-dideoxy-α-D-*erythro*-hex-2-enopyranosides, synthesis and characterisation of hexacarbonyldicobalt complexes derived from, 311
Quinoline, 1-(alditol-1-yl)-5-methyl[1,2,4]triazolo[4,3-*a*]- and sugar (lepidin-2-yl)hydrazones, synthesis of, 295

Salmonella Ra core, synthesis of hexa-, penta-, and tetra-saccharides related to the heptose-hexose region of the, 81
Secondary carbons in cyclic sugars, stereospecific carbon–carbon bond formation at, 133
Separation and characterization of five positional isomers of trimaltosyl-cyclomaltoheptaose (trimaltosyl-β-cyclodextrin), 1
Sialic acid linked to galactopyranose rings, reporter resonances in the NMR spectra of oligosaccharides containing, 289
Stereospecific carbon–carbon bond formation at secondary carbons in cyclic sugars, 133
Structure of the O-specific side chain of the lipopolysaccharide from *Escherichia coli* O126, 221
Sucrose, anhydro sugars and oligosaccharides from the thermolysis of, 195
Sucrose derivatives via 3-keto-sucrose, regioselective synthesis of new, 183

Xylose coupled to other monosaccharides, preparation of ether-linked disaccharides having D-, 325